INDEX.

Acentetus, 44.
carinatus, 45.
Agassiz, A., Proposed Exploring Expedition to the Mid-Pacific, 610.
Amorphomyces obliqueseptata, 431.
Anthracomya arenacea, 400.
Arbutus glandulosa, 309.
Aster jalapensis, 572.
Athenaea Nelsonii, 567.
Atomic Weight of Cobalt, 59; of Iron, 251.
Atomic Weights, Table of, 641.

Aulocara, 54.
elliotti, 56.
femoratum, 55.
rufum, 55.
parallelum, 57.

Baxter, G. P. *See* Richards, T. W., and Baxter, G. P.
Biographical Notices, List of, 623.
John Cummings, 628.
Epes Sargent Dixwell, 625.
John Lowell, 634.
John Codman Ropes, 629.
Bowers, Mary A., Peripheral Distribution of the Cranial Nerves of Spelerpes bilineatus, 612.
Bruneria, 49.

Cacopteris, 87.
aequalis, 92.
ephippiata, 91.
femorata, 93.
fuscopunctata, 89.
inermis, 89.
nevadensis, 91.
sinuata, 90.
Calamintha oaxacana, 564.
Cantharomyces Platystethi, 415.
Carboniferous Fauna of Narragansett Basin, 397.
Castle, W. E., The Metamerism of the Hirudinea, 283–303.
Ceratomyces acuminatus, 447.
Californicus, 448.
cladophorus, 444.
denticulatus, 445.
elephantinus, 446.
Floridanus, 444.
ornithocephalus, 448.
reflexus, 447.
rhynchophorus, 446.
Cestrum Bourgeauianum, 572.
elegans, 571.
fulvescens, 572.
Chemical Laboratory of Harvard College, Contributions from, 1, 59, 121, 211, 229, 251, 261, 375.
Chitonomyces aethiopicus, 430.
Floridanus, 430.
Chloealtis, 47.
Clematomyces, 439.
Pinophili, 440.
Clinocephalus, 47.
Cobalt, Atomic Weight of, 59.
Cobaltous Chloride, 59; Oxide, 59.
Cohoe, W. P. *See* Jackson, C. L., and Cohoe, W. P.
Collins, E. *See* Richards, T. W., Collins, E., and Heimrod, G. W.
Committee of Publication, Report of, 607.
Committees, List of, 643.
Compsomyces Lesteri, 439.
Continuous Groups, 95, 237, 481.
Copper, Electrochemical Equivalents of, 121.
Coreopsis rhyacophila, 313.
Corethromyces Brazilianus, 432.
purpurascens, 433.
Correspondence, 601, 610, 911, 614, 615, 617, 618.
Council, Report of, 623.
Cross, C. R., Historical Notes relating to Musical Pitch in the United States, 451–467.
Cunila tomentosa, 565.

Cryptogamic Laboratory of Harvard University, Contributions from, 151, 407.
Cuphea Reipublicae, 325.

Datura villosa, 571.
Davis, W. M., The Freshwater Tertiary Formations of the Rocky Mountain Region, 343–373.
Decticinae, 81.
Derby, I. H. *See* Jackson, C. L., and Derby, I. H.
Derotmema, 385.
cupidineum, 391.
delicatulum, 390.
haydeni, 392.
laticinctum, 389.
lentiginosum, 393.
lichenosum, 394.
rileyanum, 392.
saussureanum, 391.
Dichomyces Angolensis, 421.
biformis, 422.
Cafianus, 425.
dubius, 426.
exilis, 420.
hybridus, 423.
insignis, 421.
Javanus, 420.
Madagascarensis, 424.
Peruvianus, 426.
vulgatus, 424.
Dichromorpha, 46.
Dimorphomyces Myrmedoniae, 409.
nanomasculus, 411.
pinnatus, 410.
Thleoporae, 410.
Dioscorea lobata, 323.
oaxacensis, 322.
pumicicola, 322.
Diparabrombenzylcyanamide, 229.
Dysodia Seleri, 314.

Echelon Spectroscope, 109.
Electrochemical Equivalents of Copper and Silver, 121.
Encelia Pringlei, 573.
Energy, Free, 1.
Eucantharomyces Africanus, 418.
Callidae, 418.
Casnoniae, 417.
Catascopi, 419.
Diaphori, 416.
Eucantharomyces Euprocti, 417.
spinosus, 416.
Eucorethromyces, 433.
Apotomi, 433.
Eupatorium adenachaenium, 329.
adspersum, 329.
aegirophyllum, 329.
albicaule, 330.
amblyolepis, 330.
areolare, 330.
badium, 331.
Bertholdii, 331.
brickelloides, 331.
capnoresbium, 331.
cardiophyllum, 331.
chapalense, 332.
chiapense, 332.
crassirameum, 332.
crenaeum, 333.
desquamans, 333.
glaucum, 333, 335.
heterolepis, 335.
Heydeanum, 335.
lanicaule, 336.
Loesenerii, 336.
micranthum, 334.
Nelsonii, 337.
Oerstedianum, 337.
oresbium, 337.
papacanum, 338.
phaenicolepis, 338.
photinum, 338.
platyphyllum, 339.
Saltivarii, 339.
scabrellum, 339.
scorodonioides, 340.
Selerianum, 340.
Smithii, 340.
Thieleanum, 341.
Valverdeanum, 341.
Vitalbae, 341.
Euzodiomyces, 449.
Lathrobii, 449.

Fellows, Associate, deceased, —
Alvan Wentworth Chapman, 601.
Sir John William Dawson, 615.
Manning Ferguson Force, 610.
William Alexander Hammond, 615.
Edward John Phelps, 619.
Fellows, Associate, elected, —
Liberty Hyde Bailey, 618.
Joseph Hodges Choate, 616.

Fellows, Associate, elected, —
William Wirt Howe, 616.
William Mitchell, 616.
John Singer Sargent, 613.
Fellows, Associate, List of, 648.
Fellows, Resident, deceased, —
John Harrison Blake, 612.
Epes Sargent Dixwell, 614.
Silas Whitcomb Holman, 619.
Francis Minot, 610.
John Codman Ropes, 613.
Fellows, Resident, elected, —
Arlo Bates, 618.
Maxime Bôcher, 613.
William Elwood Byerly, 609.
James Mason Crafts, 616.
Henry Lefavour, 609.
William Fogg Osgood, 613.
William Henry Pickering, 609.
Fellows, Resident, List of, 644.
Fernald, M. L., A Synopsis of the Mexican and Central American Species of Salvia, 489–556; A Revision of the Mexican and Central American Solanums of the Subsection Torvaria, 557–562; Some Undescribed Mexican Phanerogams, chiefly Labiatae and Solanaceae, 562–573.
Ferrous Iodide, 211.
Finite Continuous Groups, 95, 237, 481.
Foreign Honorary Members, deceased, —
Robert Wilhelm Bunsen, 612.
James Martineau, 617.
Sir James Paget, 615.
Carl Friedrich Rammelsberg, 617.
John Ruskin, 617.
Foreign Honorary Members, elected, —
Sir Benjamin Baker, 613.
Rudyard Kipling, 613.
Friedrich Kohlrausch, 618.
Baron Russell of Killowen, 609.
Sir George Otto Trevelyan, 616.
Foreign Honorary Members, List of, 650.
Free Energy and Equilibrium, 1.
Freshwater Tertiaries of Rocky Mountains, 343.
Fuller, R. W. *See* Jackson, C. L., and Fuller, R. W.

Galium triflorum, 313.
Gazzolo, F. H. *See* Jackson, C. L., and Gazzolo, F. H.
Gomphocerus, 49.
Gray Herbarium of Harvard University, Contributions from, 305, 487.
Greenman, J. M., New Species and Varieties of Mexican Plants, 307–315.

Hechtia sphaeroblasta, 323.
Heimrod, G. W. *See* Richards, T. W., Collins, E., and Heimrod, G. W.
Hirudinea, Metamerism of, 283.
Hooper, W. L., The Electrical Resistance of the Human Body, 614.
Horesidotes, 48, 49.
cinereus, 49.
Hosackia oaxacana, 309.
repens, 308.
Hyptis axillaris, 565.
madrensis, 565.
Nelsonii, 566.
Pringlei, 565.

Infinitesimal Transformations, 575.
Iodide, Ferrous, 211.
Iron, Atomic Weight of, 251.

Jackson, C. L., and Cohoe, W. P., Certain Derivatives of Metadibrombenzole, 615.
Jackson, C. L., and Derby, I. H., Ferrous Iodide, 211–227.
Jackson, C. L., and Fuller, R. W., Note on the Constitution of Diparabrombenzylcyanamide, 229–236.
Jackson, C. L., and Gazzolo, F. H., On Certain Colored Substances derived from Nitro Compounds, 261–281.
Jaegeria, 315.
discoidea, 318.
gracilis, 319.
hirta, 317.
macrocephala, 317.
minioides, 317.
pedunculata, 317.
petiolaris, 316.
prorepens, 318.
purpurascens, 316.

Kingsley, J. S., The Ancestry of the Mammalia, 616.

Laboulbenia acrogenis, 154.
adunca, 154.
Aerogenidii, 155.
Anaplogenii, 156.
Anchonoderi, 156.
angularis, 157.
anomala, 157.
aquatica, 158.
aristata, 158.
Asiatica, 159.
Assamensis, 159.
barbata, 160.
bicornis, 160.
bidentata, 161.
Brachionychi, 162.
Cafii, 162.
celestialis, 163.
ceratophora, 163.
Ceylonensis, 164.
Chiriquensis, 164.
Clivinalis, 165.
coarctata, 165.
Colpodis, 166.
constricta, 167.
Copteae, 167.
corethropsis, 168.
corrugata, 168.
Cubensis, 169.
dactylophora, 169.
Darwinii, 170.
denticulata, 170.
Dercylii, 171.
Dineutis, 171.
distincta, 172.
drepanalis, 173.
Egae, 173.
equatorialis, 174.
erecta, 175.
falcata, 175.
fallax, 176.
finitima, 176.
fissa, 177.
forficulata, 178.
geniculata, 178.
gibbifera, 179.
heterocheila, 179.
imitans, 180.
insularis, 181.
intermedia, 181.
Italica, 182.
Javana, 182.
leucophaea, 183.
Loxandri, 183.
maculata, 184.
Madagascarensis, 184.
Laboulbenia Madeirae, 185.
Malayensis, 185.
melanopus, 187.
melanaria, 186.
microscopica, 187.
microsoma, 187.
minimalis, 188.
Misceli, 189.
obtusa, 189.
Oedodactyli, 189.
Oopteri, 190.
Ophoni, 190.
Orectochili, 191.
orientalis, 121.
Orthomi, 192.
pallida, 193.
Papuana, 193.
Pericalli, 194.
platystoma, 194.
Polyhirmae, 195.
prominens, 195.
protrudens, 196.
Pseudomasci, 196.
punctata, 197.
punctulata, 197.
pygmaea, 198.
rhinophora, 199.
rostellata, 199.
separata, 200.
Serrimarginis, 201.
speciosa, 201.
spiralis, 202.
strangulata, 202.
subconstricta, 203.
Sumatrae, 203.
Taenodemae, 204.
tenuis, 204.
Thyreopteri, 205.
tibialis, 205.
tortuosa, 206.
Trichognathi, 206.
triordinata, 207.
tuberculifera, 208.
uncinata, 208.
verrucosa, 209.
Laboulbeniaceae, 151, 407.
Lamourouxia Conzattii, 312.
tenuifolia, 313
Lewis, G. N., The Development and Application of a General Equation for Free Energy and Physico-chemical Equilibrium, 1–38.
Liabum Pringlei, 342.
Librarian, Report of, 603.

Lie's Theory of Continuous Groups, 237, 481.
Limnaiomyces, 428.
Hydrocharis, 429.
Tropisterni, 428.
Lycium geniculatum, 566.
Lygodesmia ramosissima, 315.

Magaranthus sulphureus, 566.
Mermiria, 41.
alacris, 43.
bivittata, 42.
intertexta, 42.
neomexicana, 43.
rostrata, 44.
texana, 42.
vigilans, 43.
Metamerism of Hirudinea, 283.
Mexican plants, 305.
Michelson, A. A., The Echelon Spectroscope, 109–119.
Mikania eriophora, 341.
Mimosa Deamii, 324.
Psilocarpa, 325.
Misgomyces, 443.
Dyschirii, 443.
Stomonaxi, 443.
Monoicomyces, 412.
Britannicus, 413.
Homalotae, 412.
invisibilis, 414.
St. Helenae, 413.
Musical Pitch, 451.

Napaia, 48.
Narragansett Basin, 397.
Nitro Compounds, 261.
Nominating Committees, 613, 618.

Oeonomus, 47.
altus, 47.
Officers elected, 608, 615; List of, 643.
Opeia testacea, 46.
Orphulella, 46.
Ostrakichnites carbonarius, 403.

Packard, A. S., View of the Carboniferous Fauna of the Narragansett Basin, 397–405.
Peirce, B. O., On the Thermal Conductivity of Vulcanite, 73–80.
Perezia Nelsonii, 342.
Perlexia Pringlei, 562.
Peyritschiella Amazonica, 427.
protea, 427.
Physalis acuminata, 311.
philippensis, 568.
Pringlei, 311.
Rydbergii, 569.
saltillensis, 568.
sordida, 568.
subintegra, 567.
Physical Laboratory of the Massachusetts Institute of Technology. Contributions from, 451.
Physico-chemical Equilibrium, 1; Reaction, 469.
Piptothrix Goldmanii, 328.
Pitch, Musical, 451.
Platybothrus, 49.
Polyascomyces, 414.
Trichophyae, 415.
Polygonum Meisnerianum, 324.
Porophyllum brachypodum, 341.
Protichnites narragansettensis, 402.
Psoloessa, 51.

Rhachomyces Canariensis, 436.
Cayennensis, 438.
Cryptobianus, 437.
Philonthinus, 435.
stipitatus, 438.
tenuis, 437.
Thalpii, 436.
velatus, 435.
Zuphii, 436.
Rhizomyces crispatus, 434.
Richards, T. W., On the Determination of Sulphuric Acid in the Presence of Iron, 375–383; The Driving Energy of Physico-chemical Reaction and its Temperature Coefficient, 469–480; A Revision of the Atomic Weight of Calcium, 611; A Table of Atomic Weights, 621.
Richards, T. W., and Baxter, G. P., A Revision of the Atomic Weight of Cobalt; third paper: The Analysis of Cobaltous Chloride and Oxide, 59–72; A Revision of the Atomic Weight of Iron, 251–260.
Richards, T. W., Collins, E., and Heimrod, G. W., The Electrochemical Equivalents of Copper and Silver, 121–150.

Robinson, B. L., Synopsis of the Genera Jaegeria and Russelia, 315–321; New Phanerogams, chiefly Gamopetalae, from Mexico and Central America, 323–342.
Rocky Mountain, Tertiaries of, 343.
Rumford Committee, Report of, 604.
Rumford Fund, Paper published by Aid of, 109.
Rumford Premium, Award of, 608, 610, 618, 619.
Russelia, 319.
alata, 319.
equisetiformis, 319.
floribunda, 320.
jaliscensis, 319.
multiflora, 321.
polyedra, 320.
rotundifolia, 321.
sarmentosa, 320.
subcoriacea, 319.
syringaefolia, 320.
tepicensis, 321.
ternifolia, 320.
verticillata, 320.

Salvia, species of, 489.
adenophora, 538.
adglutinans, 532.
aequidistans, 512.
alamosana, 525.
albiflora, 515.
albo-caerulea, 541.
alvajaca, 516.
amarissima, 528.
angustifolia, 500.
antennifera, 545.
aristulata, 551.
aspera, 531.
assurgens, 504.
atriplicifolia, 553.
axillaris, 519.
ballotaeflora, 522.
bella, 545.
biserrata, 544.
brachyodonta, 510.
brevicalyx, 509.
bupleuroides, 497.
cacaliaefolia, 552.
californica, 554.
candicans, 520.
Cataria, 510.
cedrosensis, 521.
chamaedryoides, 521.
Salvia chapalensis, 525.
Chia, 503.
chiapensis, 544.
chrysantha, 531.
cinnabarina, 549.
cladodes, 497.
clinopodioides, 530.
coahuilensis, 520.
coccinea, 550.
Columbariae, 553.
comosa, 501.
concolor, 543.
confinis, 523.
Conzattii, 526.
cordobensis, 514.
costaricensis, 496.
Coulteri, 519.
cryptodonta, 507.
cuneifolia, 519.
curviflora, 544.
cyanea, 544.
cyclophylla, 551.
disjuncta, 533.
elegans, 549.
elongata, 507.
excelsa, 548.
filipes, 510.
firma, 502.
flaccida, 509.
fluviatilis, 516.
Forreri, 518.
fruticulosa, 526.
fulgens, 537.
galinsogifolia, 498.
Ghiesbreghtii, 511.
glabrata, 543.
glechomaefolia, 518.
glumacea, 552.
Goldmanii, 527.
Gonzalezii, 524.
graciliflora, 546.
Grahami, 533.
Greggii, 537.
guadalajarensis, 506.
helianthemifolia, 507.
heterotricha, 500.
hirsuta, 499.
hispanica, 508.
humilis, 495.
hyptoides, 498.
ianthina, 543.
incana, 551.
inconspicua, 492.
involucrata, 539.
iodantha, 547.

Salvia iodochroa, 540.
irazuensis, 540.
jaliscana, 515.
Jurgensenii, 514.
Karwinskii, 548.
Keerlii, 528.
laevis, 502.
lanceolata, 503.
lasiantha, 524.
lasiocephala, 498.
lantanaefolia, 530.
lateriflora, 494.
lavenduloides, 505.
Lemmoni, 535.
Leonia, 553.
leptostachys, 511.
leucantha, 529.
Lindenii, 537.
lineata, 539.
Littae, 547.
longispicata, 513.
lophantha, 496.
lophanthoides, 499.
lupulina, 542.
lycioides, 521.
madrensis, 532.
Martensii, 541.
mazatlanensis, 515.
menthiformis, 510.
mexicana, 542.
michoacana, 548.
micrantha, 493.
microphylla, 534.
miniata, 545.
misella, 492.
mocinoi, 496.
mollissima, 550.
moncloveusis, 514.
multiramea, 525.
muscarioides, 506.
nana, 508.
Nelsonii, 527.
nepetoides, 529.
nervata, 548.
neurepia, 535.
nitida, 498.
oaxacana, 536.
oblongifolia, 505.
obscura, 492.
obtusa, 536.
occidentalis, 491.
oreopola, 517.
oresbia, 536.
orizabensis, 538.
Ottonis, 551.
Salvia ourophylla, 495.
Palmeri, 511.
pansamalensis, 541.
patens, 552.
pauciflora, 522.
perlonga, 546.
permixta, 496.
phaenostemma, 542.
Pittieri, 530.
platycheila, 523.
platyphylla, 529.
podadena, 492.
polystachya, 511.
populifolia, 530.
prasiifolia, 513.
Pringlei, 539.
privoides, 493.
pruinosa, 526.
prunelloides, 504.
prunifolia, 518.
pteroura, 516.
puberula, 539.
pubescens, 532.
pulchella, 539.
purpurascens, 540.
purpurea, 546.
pusilla, 495.
ramosissima, 521.
rectiflora, 537.
recurva, 543.
Regla, 533.
remota, 507.
rhombifolia, 517.
Roemeriana, 553.
roscida, 517.
Rosei, 548.
rubiginosa, 496.
rubropunctata, 527.
saltuensis, 497.
Sanctae-Luciae, 514.
Schaffneri, 535.
scorodoniaefolia, 523.
Seemannii, 516.
semiatrata, 524.
serotina, 493.
serpyllifolia, 521.
Sessei, 532.
sessilifolia, 529.
setosa, 493.
Shannoni, 531.
sidaefolia, 529.
sinaloensis, 502.
spicata, 522.
stachyoides, 507.
stolonifera, 540.

Salvia subincisa, 503.
Tatei, 505.
Teresae, 506.
thymoides, 520.
thyrsiflora, 525.
tiliaefolia, 494.
tricolor, 534.
tricuspidata, 513.
tubifera, 545.
tubiformis, 551.
unicostata, 501.
venosa, 545.
veronicaefolia, 517.
villosa, 518.
vitifolia, 552.
Wagneriana, 532.
Warszewicziana, 514.
xalapensis, 513.
zacualpensis, 545.
Scudder, S. H., Short Studies of North American Tryxalinae, 39–57; Two Genera of North American Decticinae, 81–93; The Species of the Orthopteran Genus Derotmema, 385–395.
Scutellaria distans, 562.
pedicularis, 563.
Rosei, 563.
Sedgwick, W. T., and Winslow, C. E. A., Experimental and Statistical Studies on the Influence of Cold on the Bacillus of Typhoid Fever and its Distribution, with Special Reference to Ice Supply and the Public Health, 614.
Silver, Electrochemical Equivalents of, 121.
Slocum, S. E., Note on the Chief Theorem of Lie's Theory of Continuous Groups, 237–250, 481–485.
Smilax domingensis, 323.
Solanum azureum, 570.
dejectum, 569.
diversifolium, 560.
erythrotrichum, 561.
Fendleri, 559.
Hartwegi, 559.
Hayesii, 560.
Hernandesii, 558.
hispidum, 561.
macroscolum, 570.
madrense, 558.
nocturnum, 570.
ochraceo-ferrugineum, 560.
plumense, 569.
Solanum torvum, 557.
Solid Solutions, 375.
Spectroscope, Echelon, 109.
Sphaleromyces atropurpureus, 441.
Brachyderi, 442.
obtusus, 440.
propinquus, 441.
Spilanthes filipes, 314.
Spiranthes Nelsonii, 307.
Pringlei, 307.
tenuiflora, 308.
Stachys flaccida, 563.
oaxacana, 564.
Statutes and Standing Votes, 652.
Stemmadenia macrophylla, 310.
tomentosa, 310.
Stevia arachnoidea, 326.
Aschenborniana, 326.
bicrenata, 326.
elatior, 326.
madrensis, 326.
monardaefolia, 326.
neurophylla, 327.
Rosei, 327.
Seleriana, 327.
serrata, 328.
tephra, 328.
Stirapleura, 51.
pusilla, 52.
tenuicarina, 53.
Styrax Ramirezii, 309.
Sulphuric Acid, 375.

Taber, H., On the Singular Transformations of Groups generated by Infinitesimal Transformations, 575–597.
Telanthera mollis, 324.
Teratomyces Philonthi, 432.
vulgaris, 431.
Thaxter, R., Preliminary Diagnoses of New Species of Laboulbeniaceae, 151–209, 407–450.
Thermal Conductivity of Vulcanite, 73.
Thomson, E., New Electric Apparatus for High Potentials, 618.
Tmetodera, 388.
Torvaria, 557.
Toy, C. H., A New Theory of Totemism, 617.
Treasurer, Report of, 602.
Tropizaspis, 83.
castanea, 84.

Tropizaspis diabolica, 86.
ovata, 84.
picturata, 85.
steindachneri, 86.
Tryxalinae, 39.

Uline, E. B., New Dioscoreas from Mexico, 322–323.

Vernonia liatroides, 325.
serratuloides, 313.
Viburnum microcarpum, 313.
Vulcanite, Thermal Conductivity of, 73.

Warren (C. M.) Committee, Report of, 606.
Warren (C. M.) Fund, Aid from, 608.
Webster, A. G., Maxwell's Electric Top, 613.
Williams, F. B., Note on the Finite Continuous Groups of the Plane, 95–107.
Winslow, C. E. A. *See* Sedgwick, W. T., and Winslow, C. E. A.

Zoölogical Laboratory of the Museum of Comparative Zoölogy at Harvard College, Contributions from, 283.